

# **Building product declaration 2015**

according to BPD associations' standardised format eBVD2015

2021-06-21 07:49:38

**Epoca Texture 2000 WT** 

# 1. BASIC DATA

#### **Document data**

ld:

0.00454040.04	
C-38454218-64	2
Created:	Last saved:
2021-06-21 07:48:40	2021-06-21 07:49:38
Changes relates to:	
Corrected primary backing	
Epoca Texture 2000 WT	
Article name:	
Epoca Texture 2000 WT	
Article No/ID concept	
Article identity: VAT-ID	
38454218-0706	
Product group/Product group classification  Product group system	Product group id
Product group system	Product group id
Product group system BK04	
Product group system  BK04  BSAB96  Article description:	03106
Product group system BK04 BSAB96	03106
Product group system  BK04  BSAB96  Article description:	03106
Product group system  BK04  BSAB96  Article description:  Tufted carpet with textile backing	03106 M
Product group system  BK04  BSAB96  Article description:  Tufted carpet with textile backing  Declarations of performance:	Declaration of performance number:
Product group system  BK04  BSAB96  Article description:  Tufted carpet with textile backing  Declarations of performance:  Yes	Declaration of performance number:
Product group system  BK04  BSAB96  Article description:  Tufted carpet with textile backing  Declarations of performance:  Yes  Other information:	Declaration of performance number:
Product group system  BK04  BSAB96  Article description:  Tufted carpet with textile backing  Declarations of performance:  Yes  Other information:  Ege Carpets A/S	Declaration of performance number:  1C-PA-WT
Product group system  BK04  BSAB96  Article description:  Tufted carpet with textile backing  Declarations of performance:  Yes  Other information:  Ege Carpets A/S  Company name:	Declaration of performance number:  1C-PA-WT  Organisation number:

Version:

E-mail:	Telephone:
caja@egecarpets.com	+4597117486
VAT number:	Website:
38454218	www.egecarpets.com
GLN:	DUNS:
Environmental certification system  BREEAM BREEAM-SE LEED 2009	LEED version 4 Miljöbyggnad (Swedish certifica
. SUSTAINABILITY WORK	
Company's certification	
✓ ISO 9001 ✓ ISO 14001	
Other:	
ISO45001, DS49001	
Policies and guidelines	
The company has a code of conduct/policy/guidelines for dealing with	n social responsibility in the supplier chain, including produces for ensuring
the requirements  This is third-party audited	
If yes, which if the following guidelines have you affiliated to or management	t system you have implemented
UN guiding principles for companies and human rights	
ILO's eight core conventions	
OECD Guidelines for Multinational Enterprises	
✓ UN Global Compact	
<b>√</b> ISO 26000	
Other policy guidelines	
Dansk Mode og Tekstils Code of Conduct	
Management system	
If you have a management system for corporate social responsibility, what of	out of the following is included in the work?
Mapping	
Risk analysis	
Action plan	
✓ Monitoring	
Sustainability reporting guidelines:	

G4

# 3. DECLARATION OF CONTENTS

#### **Chemical content**

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data	a sheet for the article?		Is there classification of the article?
Not applicable			Not applicable
Enter which version	of the candidate list has	been used (Year, month, day)	For complex products, the concentration of included substances has been calculated at:
			component level
The article is covere	d by the RoHS Directive	2:	Enter the weight of the article:
No			3.55 kg/m2
Enter how large a pr	oportion of the material	content has been declared [%	
98,45			
If the article contains	s nanomaterials delibera	ately added to obtain a particular	function, enter these here:
None			
Is the article register	red in Basta?		Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:
No			
Other information:			
Article and/o	r sub-compone	ents	
Phase	Delivery		
Component	Backing		Weight% of

Phase	Delivery				
Component	Backing		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Filler	Aluminium trihydrate	14 <x<18< td=""><td>21645-51-2</td><td></td><td></td></x<18<>	21645-51-2		
Filler	Calciumcarbonate	13 <x<16< td=""><td>16389-88-1</td><td></td><td></td></x<16<>	16389-88-1		
Latex	SBR latex	6 <x<8< td=""><td>Confidential</td><td></td><td></td></x<8<>	Confidential		
Primary backing	Polyester (PET)	3 <x<4< td=""><td>n.a.</td><td></td><td></td></x<4<>	n.a.		
Secondary backing		3 <x<=5< td=""><td></td><td></td><td></td></x<=5<>			
Secondary backing	Polyproplyene (PP)	2 <x<3< td=""><td>n.a.</td><td></td><td></td></x<3<>	n.a.		
Component	Dystuffs		Weight% of product	<0.5	
Comment					
Component	Pile		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Yarn	PA6	52 <x<58< td=""><td>n.a.</td><td></td><td></td></x<58<>	n.a.		

# 4. RAW MATERIALS

### Raw materials

Component Material Transport type

Filler Aluminium Trihydrate Lorry

Country of raw material extraction City of raw material extraction

Germany Bergheim

Country of manufacture/production City of manufacture/production

Germany Bergheim

Comment

Component Material Transport type

Filler Calciumcarbonate Lorry

Country of raw material extraction City of raw material extraction

Denmark Store Heddinge

Country of manufacture/production City of manufacture/production

Denmark Store Heddinge

Comment

Component Material Transport type

Latex SBR latex Lorry

Country of raw material extraction City of raw material extraction

Netherlands Terneuzen

Country of manufacture/production City of manufacture/production

Netherlands Terneuzen

Comment

Component Material Transport type

Primary backing Polyester (PET) Lorry

Country of raw material extraction City of raw material extraction

Germany

Country of manufacture/production City of manufacture/production

Germany Kaiserlautern

Comment

Component Secondary backing	<b>Material</b> Polypropylene	Transport type
Country of raw material extraction  Germany		City of raw material extraction
Country of manufacture/production  Germany		City of manufacture/production  Gronau
Comment		
Component Yarn	<b>Material</b> PA6	Transport type
Country of raw material extraction		City of raw material extraction
Slovenia  Country of manufacture/production		City of raw material extraction  City of manufacture/production  Ljubljana
		City of manufacture/production

## Total recycled material in the article

Is recycled material included in the article?

Renewable material	
Enter proportion of renewable material in the article (short cycle, less than 10 years):	Enter proportion of renewable material in the article (long cycle, more than 10 years):
Included biobased raw material is tested according to ASTM test	method D6866:
Is there supporting documentation for the raw materials for third-party correcycling processes or similar (for example BES 6001:2008, EMS certification)	ertified system for control of origin, raw material extraction, manufacturing or cate, USGBC Program)? If yes, enter system(s):
Wood raw materials	
Wood raw materials are included	Included wood raw material is certified
How large a proportion is certified [%]?	
What certification system has been used (for example FSC, CSA, SFI w	ith CoC, PEFC)?
Reference number:	
Enter logging country for the wood raw material and that following criteria	a have been met. Country of logging:
Does not contain type of wood or origin in CITES appendix of end	langered species
The timber has been logged legally and there is certification for the	is
ENVIRONMENTAL IMPACT	
Environmental impact during life cycle of the	article, production phase module A1-A3 under EN
Has environmental product declaration been drawn up according	to EN 15804 or ISO 14025 for the article?
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:
If there is environmental product declaration or other life cycle assessment	ent, describe how the environmental impact of the article is taken into account

**5**.

### 6. DISTRIBUTION

#### Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the Does the supplier use Retursystem Byggpall? article? No No Does the supplier take back packaging for the article? Is the supplier affiliated to a system for product responsibility for packaging? No No If yes, which packaging and which system? Other information: 7. CONSTRUCTION PHASE **Construction phase** Does the article make special requirements in storage? Yes Specify Keep dry. Does the article make special requirements for surrounding building

Yes

Specify

products?

Surfaces must be smooth and dry

Other information:

See Installation Guide for the product at www.egecarpets.com

## 8. USE PHASE

### Use phase

9.

Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Estimated technical service life for the article:	
25-30 years	
Comment:	
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
No	
Other information:	
DEMOLITION	
Demolition	
Is the article prepared for disassembly (dismantling)?	
No	
Specify:	
Does the article require special measures for protection of health and environment in demolition/disassembly?	
No	
Specify:	
Other information:	
Other information:	

# **10. WASTE MANAGEMENT**

#### **Delivered article**

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
No
Is reuse possible for the whole or parts of the article when it becomes waste?
No
Specify:
Is material recovery possible for the whole or parts of the article when it becomes waste?
No
Specify:
Is energy recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Thermal Recycling
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Yes
Specify:
Restrictions for energy recovery (Thermal Recycling) in Denmark. Supplier recommend waste for energy recovery world wide.
Waste code for the delivered article when it becomes waste
04 - Avfall från läder-, päls- och textilindustri
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

### Other information

# 11. INDOOR ENVIRONMENT

### **Indoor environment**

The article is not intended for indoor use				
The article does not produce any emissions				
Emissions from the article not measured				
Does the article have a critical moisture state?				
Yes				
If yes, state what:				
Max. 75 % moisture content in indoor air and max.	. 90 % in floor			
Noise	Electrical field		Magnetic fields	
Can the article give rise to own noise?	Can the article give rise to e	lectrical fields?	Can the article give rise to magnetic fields?	
No	No		No	
Value:	Value:		Value:	
Unit:	Unit:		Unit:	
Measuring method:	Measuring method:		Measuring method:	
modeling models.	modeling modeled.		indudating induited.	
Paints and varnishes				
The article is resistant to fungi and algae in	use in wet areas			
Emissions				
Emissions				
The article produces the following emissions in inte	ended use:			
Type of emission:				
Formaldehyde				
Measuring point 1:				
Measuring method/standard:  Indoor air comfort Gold				
		Measuring inte	rval·	
Result: Measuring <a href="mailto:windows.py.">Measuring <a href="mailto:windows.py.">Measuring <a href="mailto:windows.py.">adays</a></a></a>			i vai.	
		, .		
Measuring point 2:				
Measuring method/standard:				
Indoor air comfort Gold				
Result:		Measuring inte	rval:	
<3 ug/m3		28 days		

Type of emission:	
TVOC	
Measuring point 1:	
Measuring method/standard:	
Indoor air comfort Gold (EN 16516)	
Result:	Measuring interval:
=83 ug/m3	3 days
Measuring point 2:	
Measuring method/standard:	
Indoor air Comfort Gold (EN 16516)	
Result:	Measuring interval:
<5 ug/m3	28 days

### Other information

Certificate: IACG-28-02-07-2020, Group test report: Epoca Frame WT