

TEXTILNÍ ZKUŠEBNÍ ÚSTAV, s.p.
(TEXTILE TESTING INSTITUTE)

Notified body No. 1021

Cejl 480/12, Zábrdovice, 602 00 Brno, Czech Republic

issues



CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1021 - CPR - 069-1/20

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Textile floor coverings: Product group 10B - PA-IP

Material:	100% polyamide
Primary backing:	polyester
Secondary backing:	textile backing IP (polypropylene)
Technology:	tufted - cut pile

Products placed on the market under the name or trade mark of:

Manufacturer: **Ege Carpets A/S**
Industrivej Nord 25, DK-7400 Herning, Denmark
ID: CVR 38454218

Manufacture location: 1) Ege Carpets A/S - Industrivej Nord 25, DK-7400 Herning, Denmark
2) Ege Carpets A/S - Industrivej 3, DK-6510 Gram, Denmark

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard:

EN 14041:2004/ AC:2006 Resilient, textile and laminate floor coverings – Essential characteristics

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.


Products fulfil the essential characteristic **of reaction to fire: Class B_{fl} – s1**

The present certificate was issued on the basis of the protocol No. 1021/20/305 from 03.09.2020, issued by NB 1021 TZU Brno. Detailed description of product group is stated in Annex No. 1 of the certificate.

This certificate was first issued on September 3, 2020 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.



Brno, 03.09.2020



RNDr. Pavel Malčík
Managing Director

SCOPE:

Group 10B - PA-IP (100% Polyamide / Textile backing IP)

Group 10.1 (PA-IP)		Tufted	Cut Pile
Class B_n – s1			
<i>Total weight</i>	2 450 g.m ⁻²	<i>Total thickness</i>	7,5 mm
<i>Pile weight</i>	910 g.m ⁻²	<i>Pile thickness</i>	5,0 mm
<i>Classification report</i>	VN710 171488.2 (19.8.2020)	<i>Classification</i>	EN 13501-1 + A1
<i>Products in group</i>	Una Ground Control IP Travelodge IP		

Field of application	Horizontal laid floor coverings in form of rolls . The carpet is to be mounted on a substrate of Euroclass A1 _n or A2 _n with a density of at least 1350 kg.m ⁻³ . It is declared for installation with a polyacrylat - copolymer dispersion adhesive (Ege 90RH) or similar.
-----------------------------	---

TEST REPORTS and DOCUMENTATION:

<i>Product</i>	<i>Test report</i>	<i>Date</i>	<i>Accredited laboratory</i>	<i>Product documentation</i>
Una Ground Control IP	VN710 171488.1	11.8.2020	OETI	21.8.2020
Travelodge IP	VN710 171488.1	11.8.2020	OETI	21.8.2020

